


SAFETY PINS

FOR EVERY APPLICATION



A MEYERS & SONS
A Family Business
Since 1898



Dear Friends,

This catalogue highlights our broad range of safety pins, net pins, marking pins and specialty pins, which we produce for industries as varied as the laundry and dry cleaning business, the U.S. Government, sports organizations and the crafts industry. We are proud of the fine quality of the pins we offer you here, and particularly proud of our ability to present them to you at prices that ensure greater profits to you. Call us for quotes.

We stock large inventories of most of these pins at our local warehouses and are able to respond to your demands immediately, most often within 24 hours. We are also able to custom-make specialty pins for you according to your specifications.

We have been in the business of anticipating and meeting the needs of our customers since 1898. Over 100 years of professional experience has taught us well how to successfully deliver the highest quality merchandise at the lowest possible price. Our innovative design and manufacturing capabilities, combined with a worldwide network of select suppliers, makes us a convenient single source for the variety of products you require. Our regular mailings will keep you advised of our frequent promotions.

As were my father and grandfather before me, I am committed to your satisfaction and would welcome any questions, suggestions or comments you may have. We look forward to working with you today and in the years to come.

Sincerely,


Jonathan Meyers
President

Visit our Website at <http://www.safetypins.com>

TRADITIONAL SAFETY PINS

GENERAL INFORMATION ABOUT SAFETY PINS

Construction: Most safety pins are constructed from wire made of either hardened brass or high carbon steel, which is then coated with nickel or gilt. The steel wire is plated, in order to strengthen it against rust and corrosion. Brass wire will not rust. The prime reason for plating brass safety pins is to improve their appearance. A nickel plating will give the pin a silvery appearance. A gilt plating results in a gold colored finish. There are also black safety pins which are constructed using un-plated brass wire.

You will not be able to determine whether a pin is made of brass or steel simply by its appearance, because brass pins may be plated in nickel, and have a silvery look, and steel pins may be gilted and have a gold appearance. Please refer to our Specification Charts on pages 4 and 5 for details regarding the construction of our various pins.

Since brass pins are more expensive than steel, they are usually chosen only when there is need for extra protection against the possibility of rust. If price is your main interest, however, ask us about our Econo-pins. Your savings in price is due to a construction of low carbon steel, plated in gilt or nickel; or for the greatest savings, low carbon steel, plated in zinc.

Standard Packaging: Most of our safety pins are packed 10 gross to a box. (10x144 =1440 pieces per box).

Safety pins identified with the prefix letters, "XH" are packed in boxes of 10 gross (1440 pieces); ten poly bags of 1 gross (144 pieces) per bag.

Custom Packaging: Our pins can be custom packed for you in a box, a poly bag with header, on a blister card, or according to your specific requirements.

STANDARD SAFETY PINS


Our standard safety pins are available in either steel or brass, with a plating of either nickel or gilt.

Brass Safety Pins - Major® Brand

Steel Safety Pins - Supreme® Brand or Lance® Brand

Specifications: All sizes (except #7), are packed 10 gross (1440 pins) per box.

(#00)	3/4"	(19mm)	-	250 gross per case
(# 0)	7/8"	(22mm)	-	250 gross per case
(# 1)	1 1/16"	(27mm)	-	200 gross per case
(#2)	1 1/2"	(38mm)	-	200 gross per case
(#3)	2"	(51mm)	-	100 gross per case
(#7)	3"	(76mm)	-	1 gross per box, 10 gross per case



* As a labor saving feature, certain pins are also available for purchase in the opened position: (#00), (#0), (#1), (#2)



MAJOR® BLACK SAFETY PINS

Constructed of hardened brass wire, with a black finish.

Specifications:

(#00)	3/4"	(19mm)	-	10 gross per box, 250 gross per case
(#0)	7/8"	(22mm)	-	10 gross per box, 250 gross per case
(#1)	1 1/16"	(27mm)	-	50 pins per poly bag, 100 bags per box, 5 boxes per case
(#3)	2"	(51mm)	-	10 gross per box, 100 gross per case



SAFETY PIN SPECIFICATION CHART

OVERALL LENGTH INCHES	WIRE DIAMETER MM	PRODUCT NO.	METAL	PLATING	OPENED OR CLOSED
--------------------------	---------------------	-------------	-------	---------	---------------------

MAJOR® BRAND BRASS SAFETY PINS

3/4"	19MM	.0255"	.64MM	X-00-BGO	BRASS	GILT	OPENED
3/4"	19MM	.0255"	.64MM	X-00-BGC	BRASS	GILT	CLOSED
3/4"	19MM	.0255"	.64MM	X-00-BNO	BRASS	NICKEL	OPENED
3/4"	19MM	.0255"	.64MM	X-00-BNC	BRASS	NICKEL	CLOSED
7/8"	22MM	.0265"	.68MM	X-0-BGO	BRASS	GILT	OPENED
7/8"	22MM	.0265"	.68MM	X-0-BGC	BRASS	GILT	CLOSED
7/8"	22MM	.0265"	.68MM	X-0-BNO	BRASS	NICKEL	OPENED
7/8"	22MM	.0265"	.68MM	X-0-BNC	BRASS	NICKEL	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-BGO	BRASS	GILT	OPENED
1 1/16"	27MM	.0290"	.74MM	X-1-BGC	BRASS	GILT	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-BNO	BRASS	NICKEL	OPENED
1 1/16"	27MM	.0290"	.74MM	X-1-BNC	BRASS	NICKEL	CLOSED
1 1/2"	38MM	.0380"	.97MM	X-2-BGC	BRASS	GILT	CLOSED
1 1/2"	38MM	.0380"	.97MM	X-2-BNC	BRASS	NICKEL	CLOSED
2"	50.8MM	.0500"	1.28MM	X-3-BGC	BRASS	GILT	CLOSED
2"	50.8MM	.0500"	1.28MM	X-3-BNC	BRASS	NICKEL	CLOSED

SUPREME® BRAND STEEL SAFETY PINS

3/4"	19MM	.0255"	.64MM	X-00-SGC	STEEL	GILT	CLOSED
3/4"	19MM	.0255"	.64MM	X-00-SNC	STEEL	NICKEL	CLOSED
7/8"	22MM	.0255"	.64MM	X-0-SGC	STEEL	GILT	CLOSED
7/8"	22MM	.0255"	.64MM	X-0-SNC	STEEL	NICKEL	CLOSED
1 1/16"	27MM	.0295"	.75MM	X-1-SGC	STEEL	GILT	CLOSED
1 1/16"	27MM	.0310"	.79MM	X-1-SO	STEEL	NICKEL	OPENED
1 1/16"	27MM	.0310"	.79MM	X-1-SC	STEEL	NICKEL	CLOSED
1 1/2"	38MM	.0385"	.99MM	X-2-SO	STEEL	NICKEL	OPENED
1 1/2"	38MM	.0385"	.99MM	X-2-SC	STEEL	NICKEL	CLOSED
1 1/2"	38MM	.0355"	.92MM	X-2-SGC	STEEL	GILT	CLOSED
2"	50.8MM	.0455"	1.15MM	X-3-SC	STEEL	NICKEL	CLOSED
2"	50.8MM	.0455"	1.15MM	X-3-SGC	STEEL	GILT	CLOSED
3"	76.2MM	.0660"	1.68MM	X-7-SC	STEEL	NICKEL	CLOSED
1 1/16"	27MM	.0260"	.61MM	1LC	STEEL	NICKEL	CLOSED
1 1/16"	27MM	.0260"	.61MM	1LC-O	STEEL	NICKEL	OPENED
1 1/2"	38MM	.0350"	.90MM	21LC	STEEL	NICKEL	CLOSED

COILLESS SAFETY PINS (FRENCH SAFETY PINS)

3/4"	19MM	.0270"	.68MM	X-00-BGO-C	BRASS	GILT	OPENED
3/4"	19MM	.0270"	.68MM	X-00-BGC-C	BRASS	GILT	CLOSED
7/8"	22MM	.0270"	.68MM	X-0-BGO-C	BRASS	GILT	OPENED
7/8"	22MM	.0265"	.64MM	X-0-BGC-C	BRASS	GILT	CLOSED
1 1/16"	27MM	.0380"	.97MM	X-1-BGC-C	BRASS	GILT	CLOSED
3/4"	19MM	.0270"	.68MM	X-00-SGC-C	STEEL	GILT	CLOSED
7/8"	22MM	.0270"	.68MM	X-0-SGC-C	STEEL	GILT	CLOSED
1 1/16"	27MM	.0295"	.75MM	X-1-SGC-C	STEEL	GILT	CLOSED
1 1/4"	31.8MM	.0300"	.77MM	114-SGC-CL	STEEL	GILT	CLOSED
2 1/4"	57MM	.0430"	1.1MM	214-SGC-CL	STEEL	GILT	CLOSED

SAFETY PIN SPECIFICATION CHART

OVERALL LENGTH INCHES	WIRE DIAMETER MM	PRODUCT NO.	METAL	PLATING	OPENED OR CLOSED
--------------------------	---------------------	-------------	-------	---------	---------------------

MAJOR® BRAND STAINLESS STEEL MARKING PINS

2"	50.8MM	.0540"	1.37MM	M1	STAINLESS	NONE	CLOSED
2"	50.8MM	.0540"	1.37MM	M2	STAINLESS	NONE	CLOSED
2"	50.8MM	.0540"	1.37MM	M3	STAINLESS	NONE	CLOSED

MAJOR® BRAND NET PINS

3 1/4"	82.6MM	.1000"	2.54MM	3NP	BRASS	NICKEL	CLOSED
4 1/4"	108 MM	.1360"	3.45MM	4NP	BRASS	NICKEL	CLOSED
4 1/4"	108 MM	.1360"	3.45MM	4NP-UP	BRASS	NONE	CLOSED
4 1/4"	108 MM	.1360"	3.45MM	4GP	BRASS	GILT	CLOSED
5"	127MM	.1440"	3.66MM	5NP	BRASS	NICKEL	CLOSED
5"	127MM	.1260"	3.66MM	5NP-SS	STAINLESS	NONE	CLOSED
5"	127MM	.1360"	3.45MM	5GP-136	BRASS	GILT	CLOSED

STEEL KILTIE PINS

2 1/2"	63.5MM	.0980"	2.48MM	7G-KILT	STEEL	GILT	CLOSED
2 1/2"	63.5MM	.0980"	2.48MM	7N-KILT	STEEL	NICKEL	CLOSED
3"	76MM	.0790"	2.01MM	11G-KILT	STEEL	GILT	CLOSED
3"	76MM	.0790"	2.01MM	11N-KILT	STEEL	NICKEL	CLOSED
3 1/2"	89MM	.0820"	2.08MM	13G-KILT	STEEL	GILT	CLOSED
3 1/2"	89MM	.0820"	2.08MM	13N-KILT	STEEL	NICKEL	CLOSED
4"	101.6MM	.1050"	2.67MM	15G-KILT	STEEL	GILT	CLOSED
4"	101.6MM	.1050"	2.67MM	15N-KILT	STEEL	NICKEL	CLOSED

SUPREME® BRAND STEEL SAFETY PINS - HOSPITAL PACKAGED (144 PIECES PER POLY BAG)

1 1/16"	27MM	.0295"	.75MM	XH-1-SC	STEEL	NICKEL	CLOSED
1 1/2"	38MM	.0385"	.99MM	XH-2-SC	STEEL	NICKEL	CLOSED
2"	50.8MM	.0445"	1.15MM	XH-3-SC	STEEL	NICKEL	CLOSED

MAJOR® BRAND BLACK, BRASS SAFETY PINS

3/4"	19MM	.0270"	.67MM	X-00-OXY	BRASS	BLACK	CLOSED
7/8"	22MM	.0250"	.64MM	X-0-OXY	BRASS	BLACK	CLOSED
1 1/16"	27MM	.0290"	.74MM	X-1-OXY-BG	BRASS	BLACK	CLOSED
2"	50.8MM	.0495"	1.36MM	X-3-OXY	BRASS	BLACK	CLOSED

LANCE® STEEL T-PINS

Nickel-plated, steel T-pins
1/2 lb per box. 5 lbs per junior carton
Minimum order: 5 lbs of any one size

Item #X16T-05: Length:1", Diameter .030", Count per Lb.: 3200*

Item #X20T-05: Length:1 1/4", Diameter .0335", Count per Lb.: 2200*


Item #X24T-05: Length:1 1/2", Diameter .0455", Count per Lb.: 900*

Item #X28T-05: Length:1 3/4", Diameter .0455", Count per Lb.: 800*

Item #X32T-05: Length:2", Diameter .0455", Count per Lb.: 7500*

*Note: All counts are approximate and should be used as a guide only.
All pins are sold by weight only.

X16T-05 X20T-05 X24T-05 X28T-05 X32T-05



SPECIALTY PINS

COILLESS SAFETY PINS

Also known as French Safety Pins


Available in either steel or brass, with a plating of either nickel or gilt.

Steel Coilless Safety Pins – Supreme® Brand

Brass Coilless Safety Pins – Major® Brand

Specifications: All sizes are packed 10 gross (1440 pins) per box.

(#00)	3/4"	(19mm) – 500 gross per case
(#0)	7/8"	(22mm) – 500 gross per case
(#1)	1 1/16"	(27mm) – 200 gross per case
(#114)	1 1/4"	(32mm) – 100 gross per case
(#214)	2 1/4"	(57mm) – 100 gross per case




*As a labor-saving feature, certain pins are available for purchase also in the opened position: (#00), (#0).

LARGE COIL SAFETY PINS

Our Supreme® Brand, large coil, nickel-plated safety pins offer a wide construction, to accommodate thicker fabrics, for hanging skirts and for greater ease in handling. As a labor saving feature, #1LC is also available in the opened position.

Specifications:

(#1LC)	1 1/16"	(27mm) - 10 gross (1440 pins) per box, 200 gross per case
(#21LC)	1 1/2"	(38mm) - 10 gross (1440 pins) per box, 100 gross per case



KILTIE PINS



Our steel Kiltie Pins are available in four sizes, with a choice of nickel or gilt plating.

Specifications: All sizes are packed 1 gross (144 pins) per box.

(#7)	2 1/2"	(63mm) – 20 gross per case
(#11)	3"	(76mm) – 20 gross per case
(#13)	3 1/2"	(89mm) – 16 gross per case
(#15)	4"	(101mm) – 10 gross per case

SPECIALTY PINS

MAJOR® BRAND STAINLESS STEEL MARKING PINS


Our Major® Brand stainless steel marking pins are used for easy identification on items such as locker ID's, swim badges, key holders or as sock pins, etc. Stainless steel offers the greatest longevity and resistance to corrosion.

The pin cap can be engraved with up to five characters, at an additional cost, for custom identification (minimum quantities of 100 pins).

Specifications: Available in three distinct shapes, one size:
All three pin styles are 2" long, with a wire diameter of .054"(137mm).

- (#M1) Mushroom Shape
- (#M2) Flared Shape
- (#M3) Standard Shape

Packed 100 per box, 10 boxes (1,000 pins) per case



MAJOR® BRAND LAUNDRY BAG/ NET PINS


Our Major® Brand Laundry Bag/Net Pins are made of solid brass wire, nickel or gilt-plated, for the highest resistance to corrosion and oxidation. The points are safety-blunted. The flat cap can be engraved with up to 5 characters, at an additional cost, for custom identification.

Specifications:

- (#3NP) 3 ¼" x .100" (.82mm x 2.5mm) nickel-plated
- (#4NP) 4 ¼" x .136" (108mm x 3.4mm) nickel-plated
- (#4GP) 4 ¼" x .136" (108mm x 3.4mm) gilt-plated
- (#5NP) 5" x .144" (127mm x 3.7mm) nickel-plated
- (#5GP-136) 5" x .136" (127mm x 3.4mm) gilt-plated
- (5NP-SS) 5" x .127" (127mm x 3.2mm) stainless steel

Packed 10 per poly bag, 100 per box,
300 per case





A MEYERS & SONS, CORP.

325 West 38TH Street • New York, NY 10018-2994

Phone: 212.279.6632 • USA & Canada: 800.666.5577

Fax: 212.594.4093 • USA & Canada: 800.839.7890

E-mail: info@safetypins.com

Web site: www.safetypins.com